



Chiara

Camilla

Struttura

Ercole

The Joinery Vaccari is the result of a craft tradition that sees its birth in 1915 while the first officialisation took place in 1962 with the sole company Vaccari Sergio, which became the current company in 1998. This date marks the growing commitment of the Vaccari family, which sees woodworking as a true form of culture handed down from father to son.

"A clear demonstration of this is that currently the children of Mr. Vaccari Sergio (himself son of a carpenter) collaborate actively in the family carpentry. The greatest results of the clear collective effort are evident in the new production plant inaugurated on 27 April 2002".

The new artisan building is equipped with plants that comply with current regulations, taking into consideration different production and environmental requirements, allowing for savings in the supply and use of combustible materials, less dispersion of dust inside the building and total reuse of punching waste.

The systems of the new suction system and the deposit are underground to allow a better aesthetic aspect in the panorama of the Tuscan-Emilian Apennines. The activity carried out by the company follows the typical and classical canons of the artisan tradition of master carpenters, turning the main trance to the production of windows and doors.

The warmth of wood and the variety of styles allows Vaccari Joinery to offer a versatile product, flexible and durable over time, adaptable to every need.

Comfort, well-being, safety, elegance and inimitable style of the wooden window.



Chiara is the 72 mm. with 3 gaskets, high thermal and acoustic isolation, which resists the bad weather and isolates from the external environment.

A furnishing and functional object, it distributes light, allows the interior to be ventilated and protects it from the cold in winter and the heat in summer.

Installation of isolating glass panels up to 35 mm thick consisting of triple glazed/double glazing with anti-explosion properties.

Excellent soundproofing even only with non-specific basic double glazing.

Technical data sheet:

- ◆ Frame and leaf thickness mm.72
- ◆ In framirè wood, fir, chestnut, oak ...
- ◆ Maico hardware with tilt&turn door and micro-ventilation on request
- ◆ Basic laminated safety glass on both sides, low emissivity and argon gas; anti-explosion, triple glazing and other solutions on request.
- ◆ Surfacing frames, coplanar to the frame, made from the frame ... sharp edge, classic or rustic.
- ☒ Shaped or squared glazing beads fixed with screws or concealed clips.
- ◆ Single and multi-leaf, hovering, sliding, etc. and in trapezoidal, oval and round shapes.
- ◆ Tailored and customized solutions.
- ◆ CE certification and marking
- ◆ Integrated mosquito nets



The advantage of a wooden window...maintenance-free!!

Camilla is a wooden window with an external aluminium cover to protect the wood from external atmospheric agents.

The combination of all the advantages of a wooden window and the absence of external maintenance, thanks to the aluminium coating. Available in different styles and shapes, allow for countless customization options.

Recommended:

without external blind

shelter from sun, water and wind


installation flush to the outside of the facade in the city, but also in sea areas and in the mountains in the "wood effect" finishes



Avoids inconvenience of metal windows (condensation, low thermal insulation...)



Classic Soft (Rounded line)



Classic (Slightly squared line)

Technical data sheet:


- ◆ Frame and leaf thickness mm.72 + aluminium thickness mm. about 20
- ◆ In framirè wood, fir, chestnut, oak ...
- ◆ Aluminium profiles in different styles and shapes, in RAL colours and wood effect
- ◆ Aluminium profiles available also insulated
- ◆ Maico hardware with tilt&turn door and micro-ventilation on request
- ◆ Double glazing thickness up to 50 mm.
- ◆ Basic laminated safety glass on both sides, low emissivity and argon gas; anti-explosion, triple glazing and other solutions on request.
- ◆ Surfacing frames, coplanar to the frame, made from the frame ...
- ◆ Shaped or squared glazing beads fixed with screws or concealed clips.
- ◆ Single and multi-leaf, hovering, sliding, etc. and in trapezoidal, oval and round shapes.
- ◆ Tailored and customized solutions.
- ◆ Excellent thermal and acoustic isolation
- ◆ CE certification and marking
- ◆ Integrated mosquito nets



Camilla Integra

The double wood and aluminium window.

A single element to complete the thermal and acoustic isolation. The integrated blackout system in the double glazing protects against the sun and prying eyes. The Venetian blinds, which are available in many different colours, are also protected from dust.



Camilla Top

The highly insulating foam inserted inside the aluminum profile, ensures excellent thermal isolation.

Greater comfort to complete the wood/aluminium window.

It is possible the making of Camilla Top/Integra.

Sliding HS Performance

Single and multileaf sliding doors and windows, whose strenght points are the width of the windows and the aesthetic impact.

The new revolutionary HS Performance: beautiful and large as a sliding one, as strong as a window.

High performance and low power consumption.

Available in all window and door lines.



Maico
HS Performance



The versatility of the wooden window, the modern shape and the minimal line ... a design element.



Struttura is the new window with the structural glass technology, a minimal line with high performance and functional qualities.

Another solution with extraordinary thermal isolation. With the triple glass of high thickness, an excellent coefficient of thermal transmittance is reached.

Modern and elegant shapes that make it even easier the cleaning of the wooden window, while maintaining all the comfort that distinguishes it.

The Venetian blind inserted between the individual slabs, offers effective sun protection and privacy, allowing You to adjust the entry of light with great flexibility.

The laminated glass completely covers the wooden outer profile of the door and seals it with the seals on the aluminium, which instead covers the wooden outer profile of the frame. Design element for an essential architecture of modern style.

Technical data sheet:

- ◆ Frame and leaf thickness mm.72 + aluminium thickness mm. about 20
- ◆ In framirè wood, fir, chestnut, oak ...
- ◆ Aluminium profiles in different styles and shapes, in RAL colours and wood effect
- ◆ Maico hardware with tilt&turn leaf and micro ventilation
- ◆ Basic TRIPLE laminated safety glass on both sides, low emissivity and argon gas; anti-explosion, triple glazing and other solutions on request.
- ◆ Surfacing frames, coplanar to the frame, made from the frame ...
- ◆ □Shaped or squared glazing beads fixed with screws or concealed clips.
- ◆ Single and multileaf, pivoting, sliding, etc.
- ◆ Tailored and customized solutions.
- ◆ CE certification and marking
- ◆ Integrated mosquito nets



Your business card ... the main door for outdoor use!



Ercole is the doorway for outdoor use made of wood and wood/aluminium in squared and arched shapes.

The choice of wooden main door or doorway:

What is the most neglected design element and yet the first one we encounter in a house?

The front door “speaks about us”, represents us and keeps the outside world firmly separated from our small private world, welcomes us on our return and protect us.

Yet we never give it much attention...

Technical data sheet:

- ◆ Frame and leaf thickness mm.72
- ◆ In the wooden/aluminium versione mm.71 + thickness of aluminium mm.20
- ◆ In framirè wood, fir, chestnut, oak ...
- ◆ Aluminium profiles in different styles and shapes, in RAL colours and wood effect
- ◆ Aluminium profiles available also insulated
- ◆ Lock with automatic locks, burglar-resistant steel cylinder
- ◆ Aluminium or resin tray/drainer
- ◆ Also available with anti-exposion double gasing and artistic decorations
- ◆ Surfacing frames, coplanar to the frame, made from the frame ...
- ◆ Shaped or squared glazing/stop-ashlar beads fixed with screws or concealed clips.
- ◆ Single or multiple leaf. With fixed and opening transom
- ◆ Tailored and customized solutions based on customer drawing and specifications.
- ◆ CE certification and marking





VACCARI SAS di Vaccari Sergio e c.
Via Sambro 2 - Madonna dei Fornelli (BO)
tel. 0534 94700 - fax 0534 94656
info@falegnameriavaccari.it
www.falegnameriavaccari.it